

Buro Brio II.

Buro Seating by




buroseating.com

Buro Brio II. Breathable and comfortable.

The Buro Brio II stars a range of adjustability options including a height adjustable lumbar support. With a breathable mesh back, this desk chair offers superior comfort and is the ideal addition to any home or office.

Key Features & Benefits.



buroseating

International Standards.

The Buro Brio II is supported by the following Internationally recognised standards:

- GREENGUARD Gold certification
- FSC© 100% certified wood

Features.

Specifications. (mm)

Overall

Back

Seat

Seat Height

Carton Dimensions.

- Adjustable seat height
- Adjustable lumbar support
- High density quality seat foam
- Seat & back tilt with lock adjustment
- Body weight tension adjustment
- Height adjustable PU capped arm rests

Custom Options.

Soft PU castors (CE1121P)	Width	380
Polished aluminium base (175-ALIBASE)	Height	640
Customer specified and indent fabric (seat only)	Length	720
	Weight	18.9 kg

Upholstery.





635w / 635d / 1025h

480w / 575h 500w / 500d

450-570h

Quality Assurance and Accreditations.




*10 Yr Guarantee: Excludes upholstery, ²Fabric: Same day dispatch ³Fabric: For custom fabric ETA's can be supplied on request. General: Guarantee conditions apply, please see buroseating.com. For indent purchases (non stock orders) conditions may apply, please see buroseating.com for definitions & conditions. In the interests of product development, Buro reserves the right to alter product specifications & features without notice.



Buro Product Stewardship Programme.

We encourage repurposing and recycling of pre-loved office furniture to reduce our impact on the environment. When a customer has Buro furniture^{*} that they wish to dispose of, we apply the following steps to determine the most appropriate method.



[•]Qualifying furniture must be Buro branded product (Buro Seating, Konfurb, Mondo), or a partner exclusive brand. [•]Many of our products are GREENGUARD certified for safe emission levels. This reduces the environmental impact when sending any components to landfill.