

# buroseating

PERFORMANCE



**Buro Metro.**  
Aluminium Base Chair.

[buroseating.com](https://buroseating.com)

Buro Seating by

**buro**  
ergonomics at work®

# Buro Metro.

## Superior function & comfort.

Defined by its superior comfort and durable quality, the Buro Metro desk chair is an outstanding addition to any office. Featuring a breathable soft feel mesh back and the Buro quality ID mark, this ergonomic chair is designed to support you.

### Key Features & Benefits.

**202-M3** Ali Base

**202A-M3** Ali Base with Arms



WITH ARMS



#### MESH BACK

Breathable mesh back to help regulate temperature and keep you cool.

#### ROBUST 3 LEVER MECHANISM

The adaptable mechanism allows for independent ergonomic adjustments.

#### COMFORTABLE SEAT

High density polyurethane moulded foam for your comfort.

## International Standards.

The Buro Metro chair is supported by the following Internationally recognised standards:

- **AFRDI Level 6** Severe Commercial Certification
- **GREENGUARD** certification
- **AS/NZS 4438:1997** - Height Adjustable Swivel Chairs



## Features.

- Adjustable seat height
- Ratchet height adjustable back
- Independently adjustable seat tilt - free floating or lockable
- Independently adjustable back tilt - free floating or lockable
- High density polyurethane moulded foam seat
- Polished aluminium base
- Reflective silver powder coated gas lift

### Custom Options.

- Black nylon base (B10111P)
- Soft PU castors (CE1121P)
- Small Seat 480W / 470D (B74612F)
- Depth adjustable seat slide (B34191P)
- Customer specified fabric (seat only)

## Upholstery.



## Ergonomic Assessment.

The Buro chair has been ergonomically assessed by Andrew Wilson, Osteopath & Ergonomist.

*"This is a very comfortable chair with no pressure points. Its mechanism is easy to use and will suit many users".*

Andrew Wilson, Osteopath & Ergonomist - 30 Mar 2018

## Specifications. (mm)

Overall	630w / 610d / 995h
Back	470w / 530h
Seat	520w / 490d
Seat Height	485-595h
	480-610h (with optional seat slide)
Seat Depth Range	455-505d <sup>5</sup> (with optional seat slide)

### Carton Dimensions.

Width	620
Height	380
Length	670
Weight	20.5 kg

## Quality Assurance and Accreditations.



<sup>1</sup>10 Yr Guarantee: Excludes upholstery. <sup>2</sup>AFRDI Standard AFRDI Level 6 - Severe Commercial Certification. <sup>3</sup>Fabric: Same day dispatch. <sup>4</sup>Fabric: For custom fabric ETA's can be supplied on request. <sup>5</sup>Seat slide: Measured from back lumbar to front seat edge. **General:** Guarantee conditions apply, please see buroseating.com. For indent purchases (non stock orders) conditions may apply, please see buroseating.com for definitions & conditions. In the interests of product development, Buro reserves the right to alter product specifications & features without notice.

# Buro Product Stewardship Programme.

We encourage repurposing and recycling of pre-loved office furniture to reduce our impact on the environment. When a customer has Buro furniture\* that they wish to dispose of, we apply the following steps to determine the most appropriate method.



To mitigate our CO2 footprint over the next 50 years, we're working with **Trees That Count**, a conservation charity dedicated to planting native trees.

By funding the planting of native trees, we're supporting efforts to increase biodiversity across New Zealand.

**Buro** proudly support **Greening Australia**.

Greening Australia has been restoring Australia's unique landscapes and protecting biodiversity at scale through collaborative, science-based programs for over 40 years.  
[www.greeningaustralia.org.au](http://www.greeningaustralia.org.au)

As a **Sedex member** we are committed to being a responsible business, sourcing responsibly, and improving ethical standards and working conditions within the supply chain.

\*Qualifying furniture must be Buro branded product (Buro Seating, Konfurb, Mondo), or a partner exclusive brand.  
^Many of our products are GREENGUARD certified for safe emission levels. This reduces the environmental impact when sending any components to landfill.