

buroseating

DYNAMIC



Buro Metro II Connect.

buroseating.com

Buro Seating by

buro
ergonomics at work®

Buro Metro II Connect.

Superior function & comfort.

Quality, comfort and simplicity are some of the enduring features of the Buro Metro II Connect office chair. Ideal for use in either home or heavy-duty commercial environments such as offices, institutions and 'touch down' areas where immediate comfort with minimal adjustment is paramount. This chair is suitable for commercial working applications such as office, warehouse, customer service, architectural, drafting and laboratory technicians.

Key Features & Benefits.

212-153 Metro II Connect

212-153-ARCH Metro II Connect Architectural



ALI BASE
With Arms

ARCHITECTURAL
GAS LIFT



MESH BACK

Breathable mesh back to help regulate temperature and keep you cool.

ADJUSTABLE SEAT

Height adjustable seat.

COMFORTABLE SEAT

High density polyurethane moulded foam for your comfort.

International Standards.

The Buro Metro II Connect is supported by the following Internationally recognised standards:

- **GREENGUARD** certification

Features.

- AFRDI certified gaslift
- Ratchet height adjustable back
- AFRDI certified high density polyurethane moulded foam seat
- AFRDI certified twin wheel 60mm castors

Custom Options.

- Polished aluminium base (B15531C)
- Architectural 270mm gaslift (111-6)
- Height & width adjustable arms (180-2)
- Soft PU castors (CE1121P)
- Small seat 480w / 470d (mm) (B74612F)
- 550mm diameter reflective black powder coat adjustable footring (110-4)
- Customer specified fabric (seat only)

Specifications. (mm)


Overall	625w / 635d / 920h
Overall	625w / 635d / 1285h (with optional architectural gas lift)
Back	430w / 460h
Seat	520w / 490d
Seat Height	480-570h
Seat Height	675-935h (with optional architectural gas lift)

Carton Dimensions.


Width	650
Height	370
Length	680
Weight	14.3 kg

Upholstery.

Elastic III Custom⁶



Black⁵
153



Quality Assurance and Accreditations.



¹10 Yr Guarantee: Excludes upholstery. ²Guaranteed User Weight: 150Kg for Metro II Connect Model. ³Guaranteed User Weight: 130Kg for Metro II Connect Architectural Model. ⁴AFRDI Standard Includes AFRDI Level 6 - Severe Commercial Certified Components. ⁵Fabric: Same day dispatch. ⁶Fabric: For custom fabric ETA's can be supplied on request. **General:** Guarantee conditions apply, please see buroseating.com. For indent purchases (non stock orders) conditions may apply, please see buroseating.com for definitions & conditions. In the interests of product development, Buro reserves the right to alter product specifications & features without notice.

Buro Product Stewardship Programme.

We encourage repurposing and recycling of pre-loved office furniture to reduce our impact on the environment. When a customer has Buro furniture* that they wish to dispose of, we apply the following steps to determine the most appropriate method.



To mitigate our CO2 footprint over the next 50 years, we're working with **Trees That Count**, a conservation charity dedicated to planting native trees.

By funding the planting of native trees, we're supporting efforts to increase biodiversity across New Zealand.

Buro proudly support **Greening Australia**.

Greening Australia has been restoring Australia's unique landscapes and protecting biodiversity at scale through collaborative, science-based programs for over 40 years.
www.greeningaustralia.org.au

As a **Sedex member** we are committed to being a responsible business, sourcing responsibly, and improving ethical standards and working conditions within the supply chain.

*Qualifying furniture must be Buro branded product (Buro Seating, Konfurb, Mondo), or a partner exclusive brand.
^Many of our products are GREENGUARD certified for safe emission levels. This reduces the environmental impact when sending any components to landfill.